



ABRASIVES



# THE MOST POWERFUL **TECHNOLOGY WITHOUT CHEMICALS**

# **EcoForce**<sup>™</sup> – Cleaning Innovation for a Sustainable Future

EcoForce<sup>™</sup> technology is redefining the future of cleaning through our patented woven 3D multi-fiber abrasive technology — a solution designed for those who seek deep, effective cleaning while respecting the environment.

Using only water, our system delivers exceptional cleaning, polishing and certified disinfecting results without the need for harmful chemicals.

Engineered for compatibility with a full spectrum of floor machines —from traditional scrubbers to advanced robotic systems— EcoForce™ pads provide a consistently deep, uniform clean across a wide range of surfaces.

And EcoForce<sup>™</sup> is more than a technology — it's a philosophy. Sustainability, quality and innovation are woven into every product we create.

We offer a broad collection for every area of life —office, factory, hospital, kitchen to bedroom, bathroom to garden. Each product is designed to deliver maximum performance with minimum environmental impact.

Our mission is simple yet powerful: to create products that meet the highest standards of efficiency while also caring for the planet. That's why we prioritize recycled and eco-friendly materials, ensuring that every EcoForce<sup>™</sup> brush not only lasts longer but contributes to a cleaner, greener world.

Let yourself be inspired by EcoForce™ solutions that unite functionality with environmental responsibility: we are committed to delivering smarter cleaning for a better tomorrow.

**EcoForce**<sup>™</sup> – Because clean living starts with smart choices.

The EcoForce™ Abrasives Team





# NO CHEMICALS, NO COMPROMISES - UNLOCK DEEP, SUSTAINABLE CLEANING

**EcoForce™** is engineered for deep, efficient, and **eco-friendly cleaning** across all surface types.

Our patented **3D multi-fiber abrasive pads** and roll brushes are **embedded with resilient, mineral-coated hairs** and **penetrate** even the finest pores and joints **-lifting dirt and contaminants with precision.** 

What sets EcoForce™ apart is its chemical-free cleaning power.


As the pads rotate, the unique fiber-mineral structure creates electrostatic charges that disrupt the bond between dirt and the surface -effectively lifting and releasing even embedded particles. This natural electric field mimics the action of traditional chemical

agents, but without the harmful residues or long-term surface degradation.

The open channel design makes sure the pads self-clean during use, getting rid of dirt and flushing it away efficiently. The result?

Pristine surfaces, preserved

integrity, and a cleaner world.




#### **ECOFORCE™ PAD VARIANTS**

Our versatile range of cleaning pads ensures optimal results for any cleaning task.

Whether for different surfaces, specialized applications, or a variety of cleaning machines, our pads are designed to deliver the best possible performance.

From gentle care to heavy-duty scrubbing, we have the perfect solution for all your cleaning needs. Maximize your machine's potential with the right pad for the job.



### **OCTOPUS LINE**

Crafted from high-tech resilient fibers, this floor cleaning pad is engineered for compatibility with all standard rotary machines (175–600+ RPM) and modern oscillating and vibrating automatic scrubbers—ensuring optimal performance across all cleaning environments.



#### **ROBOT LINE**

Manufactured with EcoForce™ resilient fibers, this floor cleaning pad is specifically engineered to enhance the performance of **Al-powered cleaning robots**. Its intelligent design ensures consistent results across a wide range of surfaces.



# STAR LINE

Engineered for performing on vertical and angled surfaces without compromising effectiveness. Ideal solution for tight spaces such as seams, cracks, joints, and film walls—perfect for cleaning pool liners and curved edges.



# FLOWER LINE

The evolution of STAR line.

Thanks to this design, the EcoForce™ fibres extend beyond the edge of the pad holder, so you can use it to clean not only surfaces, but also edges right up to the brim and recessed zones.



#### **ARROW LINE**

The arrow-shaped cut enables EcoForce™ technology to effectively replace outdated roller brushes. This innovative design ensures exceptional cleaning and sanitization performance, while also extending the product's service life.

#### ESSENTIAL - THE ECOFORCE™ IN-BETWEEN PAD




### Availability:











The result? Enhanced performance, extended pad life, and optimized water usage—without the need for chemicals.

STANDARD PROPERTIES:	
COMPOSITION	NYLON/FOAM/POLYESTER
AVERAGE WEIGHT	2,8 kg/m <sup>2</sup>
ALKALI RESISTANCE	99%
PACKAGING COMPOSITION	100% RECYCLED CONTENT
'	

Subject to technical changes, our general terms and conditions apply: www.ecoforce-abrasives.com

ECOFORCE // Abrasives



# EASY TO USE, EASY TO CHOOSE - DISCOVER ECOFORCE™ PICKER VISUAL TOOL

Choosing the perfect pad for your surface has never been easier.

The EcoForce™ Picker is our **intuitive visual tool designed to help you select the optimal cleaning pad** for every type of surface, procedure, and maintenance challenge.



# **ECOFORCE™ PICKER - SELECT YOUR CLEANER IN SECONDS**

Training your staff takes time and budget. At EcoForce™, we've made it easier.

By reducing the range of cleaners—without compromising on quality or performance—we help streamline your operations and simplify training.

Our versatile cleaning pads are engineered to cover every task with just five distinct levels of hardness, making it easier for teams to select the right pad with confidence.

With the intuitive **EcoForce™ Picker** tool, you can quickly identify the ideal pad for any surface or task—ensuring effective cleaning while protecting delicate finishes.

EcoForce™ Picker - How It Works

Identify the surface you're working with — from soft coated floors and parquet to industrial concrete, ceramic, or natural stone.

**Select the maintenance procedure** – daily cleaning, scrubbing, polishing, stripping, renovation, or burnishing.

Match the application to the recommended pad solution using the Picker grid:

**NADC**, Non-Abrasive Daily Cleaning

**NADCP**, Non-Abrasive Daily Cleaning + Polishing

AAS / AAM, All-Around (Soft / Medium)

**HD&S** – Heavy Duty & Stripping

**MF / WL** – Microfiber or Woolbased pads for specialty polishing or oiling

For Every Surface. For Every Task.

Maintaining delicate surfaces or stubborn grime, whether you're restoring a rough concrete floor, gently polishing a vinyl yacht deck, or stripping grime from dock structures—the Picker guides you to the perfect EcoForce™ solution.

Simple. Visual. Effective.

Get the right result with the right pad—every time.



Done!

See below a practical example of the **EcoForce™ Picker** use:

- 1. Among 7 categories of different surfaces, you need to work on a **Stone carpet floor**;
- 2. You have to lightly **SCRUB** the surface (see the **Maintenance Procedures** list);
- 3. Match the surface with your task and the ideal pad to proceed is **NADC**.

Soft Coated
Floor, Epoxy,
Vinyl, Linoleum,
Stone Carpet,
Hi-gloss Marble,
Hi-gloss Granite,
Hi-gloss Concrete,
Parquet

Soft Coated
Floor,
Ceramic

Granite,
Marble,
Treated
Natural Stone

Industrial
Resin Floor,
Concrete
Untreated
Natural Stone

Rough
Structured
Floor,
Uncoated
Wooden
Floor
Floor
Floor

Teak,
Uncoated
Wooden
Floor
Flo

Soft Coated Floor, Epoxy, Vinyl, Linoleum, Stone Carpet, Textile Carpet, Hi-gloss Marble, Hi-gloss Granite, Hi-gloss Concrete, Parquet Maintenance **Procedures** NADC NADCP AAS AAM HD&S WL CLEANING **CLEANING POLISHING** SCRUBBING **STRIPPING** BUFFING BURNISHING SPRAY CLEANING DEEP CLEANING RENOVATION/OILING

Subject to technical changes, our general terms and conditions apply: www.ecoforce-abrasives.com

ECOFORCE // Abrasives



# ECOFORCE™ NON-ABRASIVE PADS

The ECOFORCE™ Non-Abrasive Pad is designed for use with standard, low, and high-speed rotary floor machines (175-600+ RPM), as well as oscillating and vibrating automatic scrubbers

→ It is made from special hightech resilient fibers

#### **Use and Cleaning Process:**

- vacuum the floor
- Between pad is already fixed
- and clean with water only


Storage: Indoors under normal facility conditions in the original packaging.

STANDARD PROPERTIES

PACKAGING COMPOSITION

ALKALI RESISTANCE

FIBER TYPE **AVERAGE WEIGHT** 



## **ECOFORCE™ NADC**

Non-Abrasive Daily Cleaning Pad is used for daily cleaning and light scrubbing on high-gloss tiles and marble to help remove soil and scuff marks with minimal dulling of the finish. NADC is also suitable for waterproof sealed parquet, polymer tiles, and linoleums









# Availability:



2,1 kg/m<sup>2</sup>

99%

NYLON/POLYESTER



100% RECYCLED CONTENT









and radiant



**ECOFORCE™ NADCP** 

Enhance the natural shine of your

floors with the ECOFORCE™ Non-

Abrasive Daily Cleaning & Polishing Pad, designed for both power and

delicacy in your everyday cleaning

routine. Ideal for light scrubbing,

this pad effectively removes light

soil, scuff marks, and black heel

marks without compromising the integrity of high-gloss tiles and

marble surfaces. Specialized for use

on delicate finishes, it also amplifies

the gloss, ensuring your floors look consistently stunning. Perfect for

maintaining and increasing the high gloss, this pad is a must-have for keeping your spaces immaculate



- → Brush/sweep, dry mop, or
- → Check if the ECOFORCE™ In-
- → Mount the ECOFORCE™ pad











# ECOFORCE™ ALL-AROUND PADS

The ECOFORCE™ All-Around Pads are designed for use with standard, low, and high-speed rotary floor machines (175-600+ RPM), as well as oscillating and vibrating automatic scrubbers

→ Made from special high-tech resilient fibers

## **Use and Cleaning Process:**

- → Brush/sweep, dry mop, or vacuum the floor
- → Check if the ECOFORCE™ In-Between pad is already fixed
- → Mount the ECOFORCE<sup>™</sup> pad and clean with water only)

Storage: Indoors under normal facility conditions in the original packaging.





and the planet.







**ECOFORCE™ AA SOFT** 

The ECOFORCE™ All-Around SOFT

PAD is your eco-conscious solution

for pristine cleaning. Ideal for

daily use, it effortlessly maintains the beauty of structured ceramic

terrace tiles using only water -

no chemicals needed. Care for

wooden terraces -this pad cleans

thoroughly without damaging the wood. Embrace a greener cleaning

routine without compromising on

effectiveness with our SOFT PAD,

designed to protect your surfaces





### **ECOFORCE™ AA MEDIUM**

Discover the power of our ECOFORCE™ All-Around MEDIUM PAD, engineered for those tougher cleaning tasks. This pad delivers enhanced cleaning performance, making it perfect for wooden terraces as it cleans intensively without damaging the wood. It's also ideal for daily maintenance of structured ceramic terrace tiles, ensuring cleanliness with just water—no harsh chemicals needed. Opt for this medium pad when you need extra efficacy in your eco-friendly cleaning regimen.







# **Availability:**













FIBER TYPE	NYLON/POLYESTER
AVERAGE WEIGHT	3,4 kg/m <sup>2</sup>
ALKALI RESISTANCE	99%
PACKAGING COMPOSITION	100% RECYCLED CONTENT


























# ECOFORCE™ HEAVY DUTY & STRIPPING PAD

Unleash superior cleaning power with our  $\mathsf{ECOFORCE}^{\scriptscriptstyle{\mathsf{M}}}$  Heavy Duty & Stripping Pad, designed for the toughest tasks in your cleaning routine. This robust pad excels in stripping and lifting old layers from limestone terrace tiles and a wide array of floor types, whether even or structured. Achieve profound renovation results using just water or minimal stripping agents. Whether you're tackling heavy-duty cleaning or precise stripping, this pad offers the efficiency and durability you need to get the job done effectively.





#### **Use and Cleaning Process:**

- → Brush/sweep, dry mop, or → Unique blend of woven closed vacuum the floor
- → Check if the ECOFORCE™ In-Between pad is already fixed
- → Mount the ECOFORCE<sup>™</sup> pad → and clean with water only (mild detergents may be used for sticky residues or grease)

# INTENDED USE, FEATURES, AND **BENEFITS**

#### **Applications:**

The EcoForce™ Microfiber Pad enhances a wide range of cleaning and finishing tasks by combining selected closed loop micro fibres. Also suitable for light carpet buffing.

- loop microfibers delivers superior cleaning and gloss performance
- Effectively removes dirt and scuff marks with minimal impact on the floor finish - using only water or minimal chemicals
- Microfibers absorb dirt quickly and efficiently
- Washable at high temperatures and disinfectable
- → The average pad lifespan depends on surface size and usage conditions
- ECOFORCE™ applications\* are also available for roll brush automatic scrubbers

Storage: Indoors under normal facility conditions in the original packaging










## Availability:











## STANDARD PROPERTIES:

FIBER TYPE	POLYESTER/NYLON/POLYPROPYLENE
AVERAGE WEIGHT 1	1,21 kg/m <sup>2</sup>
ALKALI RESISTANCE	99%
PACKAGING COMPOSITION 1	100% RECYCLED CONTENT



The **ECOFORCE**™ **Microfiber Closed Loop Pad** is designed for use with standard, low, and high-speed rotary floor machines (175 - 600+ rpm), as well as oscillating and vibrating automatic scrubbers.



ECOFORCE // Abrasives Subject to technical changes, our general terms and conditions apply: www.ecoforce-abrasives.com







The ECOFORCE™ Merino Wool Pad is designed for use with standard, low, and high-speed rotary floor machines (175 - 600+ rpm), as well as oscillating and vibrating automatic scrubbers.

# ECOFORCE™ MERINO WOOL FLOOR PAD

#### **Use and Cleaning Process:**

- → Brush/sweep, dry mop, or vacuum the floor
- → Check if the ECOFORCE<sup>™</sup> In-Between pad is already fixed
- → Mount the ECOFORCE<sup>™</sup> Merino Wool pad

# INTENDED USE, FEATURES, AND BENEFITS

#### **Applications:**

Specifically designed for burnishing, the Merino Wool Floor Pad is ideal for achieving a lustrous finish on concrete, VCT, parquet, and marble surfaces.

Optimized for Ultra High-Speed (UHS) burnishing, it enhances the

appearance and smoothness of a wide range of finishes

#### Features:

- → Washable at high temperatures and disinfectable
- → The average lifespan of the pads is dependent on their size and usage
- → ECOFORCE<sup>™</sup> applications are also available for roll brush automatic scrubbers

**Storage:** Indoors under normal facility conditions in the original packaging









#### Availability:











## STANDARD PROPERTIES:


FIBER TYPE	WOOL/POLYESTER
AVERAGE WEIGHT	0,66 kg/m <sup>2</sup>
ALKALI RESISTANCE	99%
PACKAGING COMPOSITION	100% RECYCLED CONTENT



ECOFORCE // Abrasives

ECOFORCE // Abrasives

ECOFORCE // Abrasives



## **ECOFORCE™ AT HOME IN WATER**

EcoForce™ technology thrives in its natural partner: water-whether fresh or saline.

Engineered for daily maintenance and maximum performance using water alone, our specific range of Abrasive and Non-Abrasive pads delivers exceptional cleaning results while preserving the integrity of even the most sensitive materials.

From **pond** and **pool liners** to the

pristine surfaces of boats, the sturdy docks of marinas, and the elegant wooden pontoons of yacht **clubs**, EcoForce™ provides the right solution for every aquatic environment.

Whether you need:

- a gentle touch to protect delicate coatings; or
- a more vigorous scrubbing action to remove algae, debris, or stubborn marine grime;

our carefully engineered pads strike the perfect balance between power and precision.


Finally, you have the ideal pads to ensure crystal clear water conditions and a well maintained pool or pond.

And we guarantee that you can work directly in seawater to clean docks, jetties and keels with no pollution and excellent results.



#### **ECOFORCE™ NADC PADS**

Non-Abrasive Daily Cleaning the surfaces, to do it softly. This is an ideal pad also for glass



#### **ECOFORCE™ NADCP PADS**

Evolution of NADC, this Non-Abrasive pad is mainly used for polishing and to achieve hi-gloss, especially on your polyester surface



#### **ECOFORCE™ AA SOFT PADS**

Ideal for delicate surfaces, it gently removes light dirt, algae and limescale without causing damage. Perfect for antifauling



#### **ECOFORCE™ AA MEDIUM PADS**

Effectively cleans moderate soil and algae while maintaining the integrity of the surface. Suitable for stronger antifauling



**ECOFORCE™ HD&S PADS** 

Designed for very tough cleaning, it scrubs stubborn dirt and algae with high durability and efficiency.




















# **ECOFORCE™ IN WATER APPLICATIONS**

#### **Use and Cleaning Process:**

- → Brush/sweep the surface
- → Check if mount adapter is needed for Flower or Arrow pad
- → Mount the ECOFORCE<sup>™</sup> pad and clean with water only

## INTENDED USE, FEATURES, AND **BENEFITS**

#### **Applications:**

finishes by combining black mark removal and gloss generation in a single product.

Compatible with scrubbing&suction

cleaners and roller brushes, our pads ensure the best possible results, from gentle polishing to heavy-duty scrubbing. Keep your pool and vessel in pristine condition with the right pad for every application.

## Features:

- → Removes soil, algae and limescale with minimal dulling of the finish using water only
- This pad optimizes a wide variety of → The brush row construction ensures deep cleaning, with open rills preventing dirt accumulation
  - → Self-cleaning technology prevents dirt buildup

- → Washable at high temperatures and disinfectable
- → The average lifespan of the pads is dependent on their size and usage

#### **Availability:**













Superior Cleaning for Yachts, Pond **Liners and Pools** 

Specifically designed to deliver exceptional results in maintaining the cleanliness and longevity of vessels,

pond liners and pools. Whether you require a gentle touch to protect delicate surfaces or a more vigorous scrubbing action to tackle stubborn algae, dirt, and debris, our carefully crafted pads provide the perfect balance of efficiency and care. We offer the ideal pad to ensure pristine water conditions and a wellmaintained pool or pond at all times.



The **Flower shape** is perfect for getting into tight spots like seams, cracks and film walls. Thanks to this design, the EcoForce™ fibres extend beyond the edge of the pad holder, so you can use it to clean not only surfaces, but also edges right up to the brim.

The Arrow-shaped pads are wrapped around the drum. The counter-directional structure allows for easy handling while optimizing the cleaning performance. The special cut enables EcoForce<sup>™</sup> technology to effectively replace outdated roller



The photos above are courtesy of Rössle AG, who used our Star, Flower, Arrow and Octopus lines to create ad hoc pads for use with Rössle Bieber, Bisam, Bimby and Bully products

# The EcoForce™ Picker - more than Floor Caring

# We've taken the complexity out of surface care.

By carefully analyzing the physical characteristics shared across a wide range of pavements, we identified **7 key surface categories** that represent the full spectrum of environments you work in every day.


From there, we precisely matched each category with the most suitable EcoForce™ pads across all typical maintenance tasks—from daily cleaning to deep scrubbing, stripping, or polishing.

**EcoForce™ Picker** is the clear, intuitive system you'll find detailed in these four pages. It's your guide to choosing the right pad for every surface and procedure. **Designed to simplify decisions and maximize results**.

The description is equally effective for floors, yachts, pools, tubs, docks, and more.

Whether you're maintaining **industrial concrete, epoxy-coated flooring**, or highend marine wood, the EcoForce™ Picker will lead you to the right tool—quickly, confidently, and efficiently.

7 brushes. Endless applications. One simple system.



#### Important Notice – Surface Testing Recommended

Before full application, it is the customer's sole responsibility to test EcoForce™ products on a small, inconspicuous area of the surface to be treated.

This fundamental safety practice allows you to:


→ Verify product effectiveness→ Confirm surface compatibility


→ Prevent any undesirable effects

If you have any concerns or require assistance, the EcoForce<sup>™</sup> Team is always available to provide expert advice and help you achieve optimal results

Test first. Apply with confidence. We're here to support you.

# Match the surface, the task, the cleaner





#### Important Notice – Surface Testing Recommended

Before full application, it is the customer's sole responsibility to test EcoForce™ products on a small, inconspicuous area of the surface to be treated This fundamental safety practice allows you to:

→ Verify product effectiveness

RIGHT PAD,

WITH

**ECOFORCE**<sup>™</sup>

**PICKER** 


→ Confirm surface compatibility


→ Prevent any undesirable effects

If you have any concerns or require assistance, the EcoForce™ Team is always available to provide expert advice and help you achieve optimal results.

Test first. Apply with confidence. We're here to support you.

# **Check the Surface to be maintained**





#### Important Notice - Surface Testing Recommended

Before full application, it is the customer's sole responsibility to test EcoForce™ products on a small, inconspicuous area of the surface to be treated.


This fundamental safety practice allows you to: → Verify product effectiveness


→ Confirm surface compatibility

→ Prevent any undesirable effects

If you have any concerns or require assistance, the EcoForce™ Team is always available to provide expert advice and help you achieve optimal results. Test first. Apply with confidence. We're here to support you.

# **EcoForce™ PICKER - Get your Cleaner**





#### Important Notice - Surface Testing Recommended

Before full application, it is the customer's sole responsibility to test EcoForce" products on a small, inconspicuous area of the surface to be treated. This fundamental safety practice allows you to:

→ Verify product effectiveness

→ Confirm surface compatibility

→ Prevent any undesirable effects

If you have any concerns or require assistance, the EcoForce™ Team is always available to provide expert advice and help you achieve optimal results. Test first. Apply with confidence. We're here to support you.

# The EcoForce™ Cleaners

#### **ECOFORCE™ CLEANING PADS QUICK OVERVIEW** Variants (on stock, on demand) Item No. **Product Name** IRPNV **ESSENTIAL** - EcoForce™ To adapt EcoForce™ pads to any Disk, 2,5-38" R (Right rotation, clockwise) Disk, 8-16" L (Left rotation, anticlockwise -InBetween Pad cleaning equipment, to fine-tune all other sizes on demand) water flow distribution for maximum efficiency while conserving resources NADC EcoForce™ Non-Abrasive Daily Cleaning, Scrubbing, Spray Cleaning Disk, 2,5-38" R (Right rotation, clockwise) Disk, 8-16" L (Left rotation, anticlockwise -Cleaning all other sizes on demand) Flower Arrow(s) NADCP Cleaning, Polishing, Scrubbing, Buffing, Disk, 2,5-38" R (Right rotation, clockwise) EcoForce™ Non-Abrasive Daily Disk, 8-16" L (Left rotation, anticlockwise -Cleaning & Polishing Burnishing, Spray Cleaning, Deep all other sizes on demand) Cleaning, Renovation Flower Arrow(s) Cleaning, Polishing, Scrubbing, Lite AAS EcoForce™ All Around SOFT Disk, 2,5-38" R (Right rotation, clockwise) Disk, 8-16" L (Left rotation, anticlockwise -Stripping, Deep Cleaning all other sizes on demand) Arrow(s) EcoForce™ All Around Disk, 2,5-38" R (Right rotation, clockwise) ΔΔM Cleaning, Scrubbing, Medium Stripping, Disk, 8-16" L (Left rotation, anticlockwise -MEDIUM Deep Cleaning, Renovation all other sizes on demand) Flower Arrow(s) HD&S EcoForce™ Heavy Duty & Cleaning, Polishing, Scrubbing, Disk, 2,5-38" R (Right rotation, clockwise) Disk, 8-16" L (Left rotation, anticlockwise -Stripping Stripping, Deep Cleaning, Renovation all other sizes on demand) Flower (on demand) Arrow(s) (on demand) NAMF EcoForce™ Microfiber Closed Disk, 2,5-38" R (Right rotation, clockwise) Cleaning, Polishing, Scrubbing Disk, L (Left rotation, anticlockwise - all sizes Loop on demand Arrow(s) Polishing, Oiling, Coating NAMW EcoForce™ Merino Wool Disk, 2,5-38" R (Right rotation, clockwise) Disk, L (Left rotation, anticlockwise - all sizes on demand) Arrow(s)

#### Important Notice – Surface Testing Recommended

Before full application, it is the customer's sole responsibility to test EcoForce® products on a small, inconspicuous area of the surface to be treated.

This fundamental safety practice allows you to:

→ Verify product effectiveness

→ Prevent any undesirable effects

If you have any concerns or require assistance, the EcoForce™ Team is always available to provide expert advice and help you achieve optimal results

Test first. Apply with confidence. We're here to support you.

# Our Legacy, Our Innovation, Our Commitment



8th of July 2024

**Our first Quality Certificate** 

"The cleaning and disinfection results obtained with ECOFORCE ALL-AROUND PU MEDIUM FLOOR PAD using only water (H<sub>2</sub>O) are equivalent to that achieved with the addition of chemical detergents and generic disinfectant, reducing the risk of microbial contamination."

EcoForce<sup>™</sup>, EcoForce-Abrasives and EcoForce<sup>™</sup> Picker are exclusive trademarks of Wish&Wash BV, a Belgian company with a proven track record in designing advanced cleaning technologies and custom fabrics. Originally focused on supplying distributors in the car wash industry, our journey has always revolved around solving real-world maintenance challenges through innovation and sustainability.

Over the years, we have partnered with expert textile manufacturers

to engineer sustainable, highperformance cleaning solutions.

This experience has led to the creation of our now-patented technologies, used across multiple industries—from industrial floors to yacht surfaces.

We've always known that our products clean better than anything else on the market.

That's not just a belief—it's a fact.

In July 2024, that fact was scientifically validated.

An independent lab certification proved that EcoForce™ cleaning pads can achieve distinction-level cleaning performance using nothing but water—with no chemicals required.

Efficient, eco-friendly, high-performance cleaning across virtually all surface types.

This isn't just the future—it's the cleaning standard we've set.

Discover our final products and partnerships at https://www.ecoforce-abrasives.com

Subject to technical changes, our general terms and conditions apply: www.ecoforce-abrasives.com





# **WISH & WASH BVBA**

Kneippstraat 90, 3600 GENK, Belgium Phone +32498525156 sales@ecoforce-abrasives.com www.ecoforce-abrasives.com



Scan the QR code with your phone and download the product catalog.

